

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1173	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:30
S3	4989	(input near3 sequence) and (finite automation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 13:46
S4	19	((input near3 sequence) and (finite automation)) and ((document adj type adj descriptor)DTD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 13:55
S5	123	factor\$5 near5 (input near3 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 13:56
S6	902	(DTD (document adj type adj descriptor)) with XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 17:33
S7	10	(regular near3 expression)with (input near5 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 17:51
S8	12	((DTD (document adj type adj descriptor)) with XML) with (markup near5 tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 17:53
S9	134	((DTD (document adj type adj descriptor)) with XML) with tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 18:12
S10	15	generali\$5 near5 (input near3 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 15:32
S11	4	sequence with ((document same descriptor) and (document same structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 18:18

09/595,719

S12	415	(document same descriptor) and (document same structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 18:19
S13	134	((document same descriptor) and (document same structure)) and XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/30 19:03
S62	184	determin\$5 near5 (DTD (document near5 descriptor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 18:58
S63	73	((extract\$5 determin\$5) near5 (DTD near5 document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 18:59
S65	6	DTD same infer\$5 same XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:39
S66	312	((deriv\$5 select\$5) near5 pattern) same (input near5 sequences)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:42
S70	0	(MDL ("minimum descriptor length")) with DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 15:57
S71	0	MDL with DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 15:57
S72	1	MDL same DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:00
S73	0	"minimum descriptor length" same DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 15:59

S74	7	MDL and DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:00
S75	25	xtract	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:27
S76	0	(factor\$5 near5 sequence) with DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 09:30
S77	23279	(factor\$5 near5 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 09:31
S78	183	(factor\$5 near5 (input near5 sequence) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 09:39
S81	296	"formal method"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 10:56
S82	122	validat\$5 with (markup near5 language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 12:55
S83	206	(extract\$5 determin\$5) near5 DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 14:20
S84	15	(discover\$5 near5 pattern) same (input near4 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/24 14:22